

1/prt

**Internet Protocol based multimedia system (IMS)**

[0001] The present invention relates to an Internet protocol based multimedia system (IMS) used within a mobile communication network. Generally, this invention relates to wireless digital communication systems and methods, and particularly to third generation (3G) networks and to mobile terminals that operate in such networks.

[0002] A communication via e-mail and short message service is well known. By using, these communication methods it is not possible for a subscriber to send multimedia messages within a certain range of distance around his own location.

[0003] It is the object of the present invention to disclose an Internet protocol based multimedia system and a procedure which provides a subscriber of a mobile communication with enhanced multimedia services.

[0004] This object is achieved according to the features of the independent claims.

[0005] According to the independent apparatus claim of the present invention an Internet protocol based multimedia system is provided which is characterized by a combination of means for location information with media components during information exchange between a communication center and peripheral units. A procedure for information exchange using the components of such an Internet protocol based multimedia system is described in the independent method claim.

[0006] Further embodiments and preferred features of the invention are disclosed in the dependent claims.

[0007] The present invention offers to the user a so called Mobile Community Service which is described below. Starting point for service definition was the aim to make use of the unique capabilities of mobile networks in general and unique features provided by IMS to combine them in a new service type. One of the unique capabilities of mobile networks is the availability of

providing location information of a subscriber using a mobile terminal. Among mobile networks only IMS based networks allow the exchange of presence information and combination of media components in a session. The presented service exploits all this unique features of IMS based mobile networks.

[0008] The service according to the invention gives the subscriber the possibility to advertise his mobile handset for approach of interested people within a certain range around the subscriber's current location by sending them a message of a chosen media type and vice versa, that means receiving a set of chosen media types from people within a certain range.

[0009] The service sequence is as follows:

[00010] A subscriber decides to become active in the mobile community, subsequently he logs in to the network and gets to the "mobile community" application menu in his terminal device.

[00011] There a choice is offered to change the mode to "interested in contact". By selecting this mode the choice between two modes is offered. He can become active and send his contact data to other users, named hereinafter "advertising" mode or he can decide to go for the inactive mode, not sending but receiving other community members data only, at further called "receiving" mode. Of course both modes can also operate in parallel.

[00012] For both possibilities the preferred name and media type can be specified. If the "advertising" mode is chosen, the media type and the special content to be sent can be specified. Also, the region in which the content shall be sent to interested receivers can be specified.

[00013] The information content can be a text or a picture message, a video clip or a voice message. All the messages can be either recorded directly by using the handset capabilities or chosen from a set of pre-recorded contents. These contents can be stored on a personal account via a web interface at any time. The stored contents are offered on a selection menu automatically to the subscriber if the "advertising" mode is selected. To avoid the necessity of carrying a high end device that is able to host all applications necessary for recording of content,

web access to the Internet is provided to all the users. This gives all the users the possibility to create content at their home PC and store it for later selection via the mobile's menu, where the pre-recorded content or content information (e. g. network data) is shown up automatically when the mobile terminal service module is activated. Content can also be predefined via web access so the mobile has not to deal with the content at all.

[00014] The region in which the content shall be distributed can be specified by abstract distribution classes, for example such as "local", "walking distance" and "city wide". The distribution class "local" would cover approximately the size of a radio cell and perhaps the neighboring cells, the distribution class "walking distance" would mean within a walking distance of 15 min and the distribution class "city wide" would mean in the borders of the city, but still reachable by public transportation. Other or additional distribution classes, such as "regional" or "national" would be also possible-

[00015] A typical user scenario - described in connection with drawing figures 1 and 2 -could look as follows:

[00016] Peter, a software consultant was sent to the city to support the customers IT department. In the evening he decides to relax in the city park. But as time goes by he feels lonesome and wishes to be in company. So he takes his mobile device 1 and enters the mobile community service by advertising his phone with the text message 7 (Fig. 2): "Hello, my name is Peter, I am looking for some company this evening to have some drinks and relaxed chatting". He decides to receive any message, text, picture, phone call or video message and advertises his device 1 in the whole city region as it is not too late in the afternoon. He decides to become active in the receiving mode at the same time. The message 7 is routed via the mobile communications network 2 to a communication center 3 where it is received and processed. The message is combined with a location information of Peter's mobile device 1 and transmitted via the mobile communications network 2 throughout the city. None of the received "advertisement" messages tracks his interest. But after some minutes a text message comes in, sent by Linda via her mobile device 4, who wants to put up a chat session to get in first contact. After some chatting Linda asks him if he can send a picture. Of course he does and in turn he asks Linda for a phone

4)

connection. After having chatted for a while Linda asks him for his preferred food, as she wants to join a vegetarian barbecue party and is looking for company. Peter is enthusiastic about vegetarian barbecue and they decide to meet one hour later to go for grilled cauliflower and roasted carrot.

[00017] The communication center, 3 is also connected to the Internet 5 so that the user has the possibility to create content at his home Personal Computer 6 and store it for later selection via the mobile's menu.

[00018] Further enhancements

[00019] For fast growing communities and a vast number of members, it could become difficult to decide for an "advertisement". This can easily be solved by differentiating the advertisements according to contact aims, such as personal contact or conversational contact only. Passing details with the advertisement by sending personal interest such as hobbies or planned activities can be supported by offering an addressable subject field that pops up at the receivers device and gives him the possibility to accept or refuse the session.

[00020] Conclusions

[00021] Packet based mobile networks of 2.5 and 3rd generation are able to provide the capacity and reliability prerequisite to mass roll out of this service that has high potential to become adopted in the life of a considerable percentage of mobile subscribers. At present only IMS based networks are able to handle the features and media components necessary to create this new mobile community service.

## Claims

1. Internet protocol based multimedia system characterized by combining means for location information with media components during information (7) exchange between a communication center (3) and peripheral units (1, 4).
2. Internet protocol based multimedia system according to claim 1, characterized in that the means for location information and the media components are part of at least a mobile communications network (2).
3. Internet protocol based multimedia system according to claim 1 or 2, characterized in that the information (7) includes either a text message, a voice messages, a picture message or a video message, or a combination thereof.
4. Procedure for information exchange using the components of an Internet protocol based, multimedia system according to claim 1, 2 or 3.
5. Procedure according to claim 4, characterized in that the information exchange includes a transmission of messages (7) via a mobile community service.
6. Procedure according to claim 5, characterized in that the mobile community service is accessible through an application menu operated in a terminal device (1, 4) of an user of the mobile communication network (2).
7. Procedure according to claims 5 or 6, characterized in that the mobile community service comprises an active mode wherein the subscriber can become active and send messages (7) to mobile devices (4) of other users, and an inactive mode in which he receives other community members messages only.


8. Procedure according to claim 7, characterized in that in both modes the preferred name and media type of the messages (7) can be specified.
9. Procedure according to claims 7 or 8, characterized in that in the active mode the user can specify the media type and the special content of the message to be sent to other users.
10. Procedure according to claims 4 to 9, characterized in that the messages can be recorded directly by using the user's mobile terminal capabilities.
11. Procedure according to claim 4 to 10; characterized in that the messages can be chosen from a set of pre-recorded contents.
12. Procedure according to claim 11, characterized in that the contents can be predefined and stored under a personal account via a web interface.
13. Procedure according to claim 11 or 12, characterized in that the stored contents are offered on a selection menu automatically to the subscriber if the active mode is selected.
14. Procedure according to claim 4 to 13; characterized in that web access to the Internet (5) is provided to all the users.
15. Procedure according to claim 4 to 14, characterized in that the users can create content at a Personal Computer (6) and store it for later selection via the mobiles menu, where the pre-recorded content is shown up automatically when the mobile terminal community service module is activated.
16. Procedure according to claims 4 to 15, characterized in that the user can specify the region in which messages (7) can be sent and/or received.
17. Procedure according to claim 4 to 16, characterized in that the region in which the message (7) shall be distributed is specified by different distribution classes, including the classes "local", "walking distance" and "city wide".

18. Procedure according to claim 17, characterized in that the distribution class "local" covers approximately the size of a radio cell and / or the neighboring cells, the distribution class "walking distance" covers the region within a walking distance, and the distribution class "city wide" covers a region in the borders of a city.
19. Procedure according to claim 4 to 18, characterized in that the messages (7) are differentiated according to contact aims, such as personal contact or conversational contact only.
20. Procedure according to claim 4 to 19, characterized in that the messages (7) includes details of personal interests such as hobbies or planned activities.

## **Abstract**

The present invention relates to an Internet protocol based multimedia system characterized by combining means for location information with media components during information exchange between a communication center and peripheral units, and a procedure for information exchange using the components of such an Internet protocol based multimedia system.





**Fig. 1**

7

Mode:	active / (passive)
Text message:	Hello, my name is Peter...
Voice message:	none
Video message:	none
Picture message:	none
Region:	city wide

**Fig. 2**